PKC epsilon Polyclonal Antibody

Catalog No. E-AB-10893


Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description


Reactivity	Human,Mouse,Rat
Immunogen	Recombinant protein of human PRKCE
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Buffer	PBS with 0.05% sodium azide and 50% glycerol, PH7.4

Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:25-1:100


Data



Western Blot analysis of A172 cell and Mouse brain tissue, K562, 231, A549, hela and hepG2 cell using PKC epsilon Polyclonal Antibody at dilution of 1:400
Calculated Mw:84kDa



Immunohistochemistry of paraffin-embedded Human liver cancer using PKC epsilon Polyclonal Antibody at dilution of 1:50



Immunohistochemistry of paraffin-embedded Human thyroid cancer using PKC epsilon Polyclonal Antibody at dilution of 1:50

Preparation & Storage

Storage	Store at -20℃. Avoid freeze / thaw cycles.

Toll-free: 1-888-852-8623
Tel: 1-832-243-6086
Fax: 1-832-243-6017
Web: www.elabscience.com
Email: techsupport@elabscience.com

Background

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol.PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways.PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters.Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells.The protein encoded by this gene is one of the PKC family members.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com