PIP5K1B Polyclonal Antibody

Catalog No. E-AB-14738


Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description


Reactivity	Human,Mouse,Rat
Immunogen	Recombinant protein of human PIP5K1B
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Buffer	PBS with 0.05% sodium azide and 50% glycerol, PH7.4

Applications	Recommended Dilution
IHC	1:50-1:200

Data



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PIP5K1B Polyclonal Antibody at dilution 1:30



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using PIP5K1B Polyclonal Antibody at dilution 1:30

Preparation & Storage

Storage	Store at -20℃. Avoid freeze / thaw cycles.

Background

Phosphatidylinositol-4-phosphate-5-kinase (PIPK) synthesizes phosphatidylinositol-4,5-bisphosphate, which regulates various processes including cell proliferation, survival, membrane trafficking, and cytoskeletal organization.The PIPK family is divided into type I, type II and type III .Each type of the PIPK family phosphorylate distinct substrates and they contain an activation loop, which determines their enzymatic specificity and subcellular targeting .The phosphatidylinositol-4-phosphate-5-kinase type I consists of three members, PIPK I∫ and , which are characterized by phosphorylating PI4P on the 5-hydroxyl .PIPK I (designated PIPK I ∫ in mouse) is expressed in brain tissue .PIPK I ∫, designated PIPK I a in mouse, is also called STM7.PIPK I has two variants produced by alternative splicing which are expressed in lung, brain, and kidneys.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Web: www.elabscience.com Email: techsupport@elabscience.com