

## NECTIN2 Polyclonal Antibody

**Catalog No.** E-AB-15249

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

|                     |                                                     |
|---------------------|-----------------------------------------------------|
| <b>Reactivity</b>   | Human                                               |
| <b>Immunogen</b>    | Recombinant protein of human PVRL2                  |
| <b>Host</b>         | Rabbit                                              |
| <b>Isotype</b>      | IgG                                                 |
| <b>Purification</b> | Affinity purification                               |
| <b>Conjugation</b>  | Unconjugated                                        |
| <b>Buffer</b>       | PBS with 0.05% sodium azide and 50% glycerol, PH7.4 |

### Applications Recommended Dilution

|            |            |
|------------|------------|
| <b>IHC</b> | 1:50-1:200 |
|------------|------------|

### Data



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using NECTIN2 Polyclonal Antibody at dilution 1:40

### Preparation & Storage

**Storage** Store at -20°C. Avoid freeze / thaw cycles.

### Background

This gene encodes a single-pass type I membrane glycoprotein with two Ig-like C2-type domains and an Ig-like V-type domain. This protein is one of the plasma membrane components of adherens junctions. It also serves as an entry for certain mutant strains of herpes simplex virus and pseudorabies virus, and it is involved in cell to cell spreading of these viruses. Variations in this gene have been associated with differences in the severity of multiple sclerosis.

### For Research Use Only